

PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re the application of:

Attorney Docket No. 3595.03US01

Russell Van Mathews

Confirmation No.: 2701

Patent No.: 6,826,956

Application No.: 10/663,840

Issued: December 7, 2004

Filed: September 17, 2003

For: DIFFERENTIAL PRESSURE LEVEL CONTROL

---

SUBSTITUTION OF ATTORNEY

Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

Sir:

I hereby appoint the practitioners associated with **Customer Number 24113** to prosecute this application and to transact all business in the Patent and Trademark Office connected therewith.

Address all telephone calls to: Kyle T. Peterson at telephone number (612) 252-1554.

Address all correspondence to:

Customer Number 24113  
Kyle T. Peterson  
Patterson, Thuente, Skaar & Christensen, P.A.  
4800 IDS Center, 80 South 8th Street  
Minneapolis, Minnesota 55402-2100

*Please grant any extension of time necessary for entry: charge any fee due to Deposit Account No. 16-0631.*

Please reference Attorney Docket No. 3595.03US01 on all correspondence.

All previous powers of attorney granted in this case are hereby revoked.

The Mosaic Company, Assignee

Date: March 30, 2009

  
Signature

~~Mark J. Isaacson~~  
Name Printed or Typed

Vice President - Law  
Title